

Contents

..... **1**

..... **6**

..... **8**

..... **14**

..... **18**

..... **20**

..... **23**

4



(





4

(



4

(



□

■

)

(

■

;

(

■

(

■

)

B

(

■

,

.

2/

/) (

-(;

WARNING!

-((

■

T

(;

"

■

(

(E

(

■

(

(



■

C

,

(

■

(

(





(

■ ;

(;

(F

(

4

■ C

■ C

■ C

(

(

(

,

(

"

(

(



B

1 "A).

(

(C

(

(;

,

,

(

,

(

(



G (G)

)

, 2G (G

"

. G (

(

4

Model	Pressure value bar		Flow value L/min		
			Rotary motion		
	min	max	min	recommend	max
ZJ10R/11R/12R/13R/13H	140	160	19	26	38
ZJ22H/25H/27H/33H	140	160	19	38	57
ZJ38H/35R/42H/45R	140	160	38	57	76

4

(

(

" C , -, 2', 1




Figure 1

Install ation level	A		B		C	
	min	max	min	max	min	max
	380	381	15	16	15.2	16.8
	474.5	476	20.5	21.5	18.2	19.8
	595.5	597	24.5	25.5	18.2	19.8


4

(

-(

(

1, remove of the packaging, then lifting the truck attachments and place on the tray



4

(

-(

(C

AF' /

; '2)3 (

-(

(

-(

(

-(/ F

(

F

/


(;

(

-(0 G

(

(., // ((



-(1 (

4

"

,0 E 5

- "

,0 E (


B

(G 2 (/

(

,

4



- (2;

(


- (3

(/

(C

(

, (



Upper hook Stopper Upper crossbeam of the forklift carriage

— (

(

(

— (

4

(" 4G

(

, B

(

(

)


(

4

.

)

(




Turn to any point of 45° to adjust the short arm

-

(

(



,

	;	
--	---	--

	;	
B	B	

(

(

. (G

(

. (

(

. (-

"

(

. (;

4

5

5

F

5

5

5

5

5

5

5

5

5

/

5

(

. (/ G

(

"

,

(

. (0; '

(;

,

(

. (1 G

/

- .

(

. (2

,

. /

)

(

. (3

4

(

(E

(

-

(

- (

. (

(

. (E

"

"

(

. (, F

(

. (-

(

. (.

(

. (/

(

5

5

5

(

/

,

4

, ,
/(,

5

(

" 4;

((

5

5

"

AF' / ; '2)3

(

/6 ,

,

4

(/ 5

,

(B

5

(C

5

"

' /

, 5

(C

(

4

G

G

(

0(4

C 4

" - ' / F) 5

B ' 4

' 5

4

(

0, 4

,

4

5

F 4

(

0(- 4

C 4

5

4 5

;

4 5

B 4

5

4

" 1 5

0(

B

(C

5

4

4

4

5

4

4

4

5

4

4

5

;

C

4

5

B

4

5

;

'

4

5

B

4

(

0(0 F

4

4

5

0(1 F

4

(

;

F

;

;

(F (

(

1(

; F

; (F (

" , .

(

", ' ,

1(- 4
" ; F ; (F (
 ; (
" , ; F ; (F (
(
"- ; F ; (F (
 ; F
 ; (F (